





MB-SUNSHADES

MB-SUNSHADES provide an excellent solar shading and give the external wall its characteristic appearance. The solution consists of a frame with diagonally arranged slats or panels. Made of aluminium, the components are highly resistant to weather conditions and do not require any renovation work during years, which distinguishes them from structures built with PVC or timber. Frame profiles are slim and light, but of an appropriate stiffness, which allows to fabricate both curtains for windows and patio doors.




SHUTTERS / MB-SUNSHADES



Aluprof's shutters are an option for those who look for practical yet aesthetic solutions. The shutters can be colour-matched with external walls or windows or used simply as a remarkable accent on the wall. Given the ample possibilities offered by the technology of decorative and protective coatings made on aluminium, the MB-SUNSHADES are perfect for use in various types of construction: traditional buildings will successfully call for structures with timber-like texture, whereas in modern homes, there may be preferred a colour combination of a structure with muted colours, identical to those of the windows, especially impressive when windows and doors are made of aluminium.




POSSIBLE CONFIGURATIONS




SHUTTERS / MB-SUNSHADES

VERTICAL VIEW



PANELED SHUTTER, VERTICAL VIEW





MAKING YOUR HOME EXCEPTIONAL

- · MB-SUNSHADES a unique visual effect and an effective sun protection
- wide range of colours all RAL, ATEC and ADEC wood-like colours available
- · lightweight and resistant structure, with the infill of your choice: aluminium slats or aluminium panel
- maximum dimensions of the shutters: 1.2m \times 2.5m, which allows to use them not only in standard window openings but also in door's
- the hinges available in the system allow to use different solutions when in closed position: they can be jutting out, flushed in line, or placed deeper in the window recess



FEATURES AND AESTHETICS

- · rich design and colours, all RAL colours, ATEC special finishes and a wide range of ADEC wood-like colours
- $\cdot \text{ fixing with hinges that allow the installation in front of the fagade, in line with the latter or inside the window opening}\\$
- · resistant shutter infill profiles with extra, optional reinforcement using a steel bar
- two infill options: openwork or fixed panel
- · rigid and resistant casement that allows to build very large dimensioned structures

TECHNICAL SPECIFICATION	MB-SUNSHADES
Sash depth	32 mm
Infill profiles depth	50 mm
Infill profiles distance	every 45 mm
Maximum dimensions	1200×2500 mm

